



GAS STEP CO LTD

COMPANY PROFILE 2019

History



Establish : 2008
Head quarter : Thailand
Projects : 70 projects in 3 countries

Product : Biogas open flare
: Biogas enclosed flare
: Biogas dryer
: Biogas dust filter
: Biogas cyclone KO Pot



Biogas open flare



Flow rate : 250 – 3,000 Nm³/h

CH₄ concentration : 50 - 100% Vol

Exhaust Temperature : > 500 °C

Blower : ATEX

Material : SUS304 with MS-Gal

Control : PLC

Communication : Ethernet 10/100



Biogas enclosed flare



Flow rate : 500 – 2,500 Nm³/h

CH₄ concentration : 50 - 100% Vol

Exhaust Temperature : > 500 °C

Blower : ATEX

Material : SUS304 with MS-Gal

Control : PLC

Communication : Ethernet 10/100



Biogas dryer



Flow rate : 500 – 3,000 Nm³/h
CH₄ concentration : 40 - 100% Vol
Outlet temp/RH : 35°C @ 50%RH
Blower : ATEX
Chiller : Taiwan
Material : SUS304 with MS-Gal
Control : PLC
Communication : Ethernet 10/100



Biogas dust filter & KO pot



Flow rate : 500 – 3,000 Nm³/h
CH₄ concentration : 40 - 100% Vol
Outlet temp/RH : 35°C @ 50%RH
Dust filter class : F7
Mist filter screed : SUS304
Material : SUS304



Others



Biogas Management Unit

Others



Pipe works

Others



Controls

Contact



GAS STEP CO.,LTD.
48/210 M.5 Praongjaosay Road,
T.Ladsaway
A.Lamlooka Pathumthani
12150 Thailand
Tax ID 0135551008788
Mobile 66 (0)81 710 2886
Email Sales@gas-step.com
WWW.GAS-STEP.COM

